YNTRY	USSR		DATE DISTR. 30 Aug 52
JBJECT	Machine Tool	Building in the USSR	NO OF PAGES 7
ACE QUIRED			NO. OF ENCLS. (LISTED BELOW) 25X1
TE QUIRED			SUPPLEMENT TO 25X REPORT NO.
ATE OF IN]		
HIS DOCUMENT COM F THE UNITED STA ND 794, OF THE U ATION OF ITS COP ROHIBITED BY LAN	NTAINS INFORMATION AFFEC ATES, WITHIN THE MEANING U.S. CODE, AS AMENDED. NIENTS TO OR RECEIPT BY W. THE REPRODUCTION OF	TING THE NATIONAL DEFENSE OFFITURE 18, SECTIONS 793 ITS TRANSMISSION OR REVE- THIS IS L THIS FORM IS PROMISITED.	UNEVALUATED INFORMATION 25X
			1.4
n	ame of "Stank	the name "Kramatorsky Heavy Machiostroi" after the plant had been put	ine Tool Plant" was the correction.
S a.	oviet Regime 11 cases UN	the name of some Soviet leader or enterprises of that kind the plant was called either "Stank	event, connected with the at procedure was followed, in
S a.	oviet Regima	the name of some Soviet leader or enterprises of that kind the plant was called either "Stank	event, connected with the at procedure was followed, in
S 'a. Ho	oviet Region UNG	the name of some Soviet leader or ended to the plant, since the for enterprises of that kind the plant was called either "Stant Tool Plant. the construction of the plant UNCODED ore World war II, cas completed and put into operation.	event, connected with the at procedure was followed, in it. kostroi", or the Kramatorsky t was begun approximately in only preliminary construction The designing division of
S a. H.	oviet Region UNG ll cases UNG eavy Machine '	the name of some Soviet leader or enterprises of that kind the plant was called either "Stand Tool Plant. the construction of the plant UNCODED ore World war II.	event, connected with the at procedure was followed, in it. kostroi", or the Kramatorsky t was begun approximately in only preliminary construction The designing division of
Ho on the book	oviet Region UNG ll cases UNG eavy Machine '	the name of some Soviet leader or enterprises of that kind the plant was called either "Stant Tool Plant. the construction of the plant UNCODED ore World War II, or as completed and put into operation. ted its work, with an incomplete staf 939. The plant started production in	event, connected with the at procedure was followed, in it. kostroi", or the Kramatorsky t was begun approximately in only preliminary construction The designing division of
Ho or the board of	eavy Machine 's 937. f the plant was he plant stareginning of 19 t was a new plant was a new plant stareginning of 19	the name of some Soviet leader or enterprises of that kind the plant was called either "Stant Tool Plant. the construction of the plant UNCODED ore World War II, or as completed and put into operation. ted its work, with an incomplete staf 939. The plant started production in	event, connected with the at procedure was followed, in d. kostroi", or the Kramatorsky t was begun approximately in only preliminary construction The designing division of ff, approximately from the in 1940.

Approved For Release 2009/07/14: CIA-RDP82-00047R000100500010-3 - \(\)

CENTRAL INTELLIGENCE AGENCY

	the autumn of 1941 the plant was evacuated to the city of Novosibirsk. its last echelon left in the middle of October 1941. the plant was returned to its original site after the end of World War II. a part of it remained in Novosibirsk where a new plant has	25X1
bee	en built on the base of this part.	
		7
	there was no used equipment at the plant at that time.	0574
	of the present of the	25 X ′
mar	at least before evacuation, the plant was partly engaged in sufacturing of military production	
	the total number of people and and at the large	25 X ′
eva	the total number of people employed at the plant before cuation were only 2000-2500.	2071
Doc	dending and would be a true to a true to a	-
une	igning and manufacturing of large metal-cutting machine tools was a task of plant. The following machine tools were included in the number of machine	
TOO	Is produced by the plant: roll lathes, lathes, and ing machines.	25X ²
Ą	plant trade mark should be on machine tools produced by the plant.	
The	following were some of the leading personalities at the	
pla	at the	
(a)	Nikolai Hemrikhovich Tevs, highly-qualified engine designer who, before World War II, was chief of the lathes division of "PKO" (Projecting - Designing Department) of the machine tool plant.	er-
(b)	Platon Fecktistovich Balyunov, the same type as Mr Tevs but a somewhat	
	younger man	25X′
	the head of a research group at "PKO" of the machine tool plant.	

-3-

25X1

The plant before evacuation had four manufacturing shops: machine shop, assembly shop, pattern shop, and foundry of non-ferrous and small cast iron castings. Moreover, the machine tool plant had a plant laboratory, and had to have a repair-machine shop and apprentice shop or apprentice workshop. The plant got forgings and large cast iron castings from "NKMZ" (Novo-Kramatorsky Machine Building Plant). At the same time, patterns which the machine tool plant submitted for this purpose to "NKMZ", were used for molding the molds. "NKMZ" was situated at a distance of somewhat more than one kilometer from the Kramatorsky Heavy Machine Tool Plant. The plants were linked by a railroad line. The machine tool plant was connected with the main railroad line by the plant railroad line of "NKMZ".

the definition of the category of metal-cutting machine tools in the technical literature of the USSR is approximately as follows: "Machine tools for the machining of metals through the cutting off of shavings from metals by any method are called metal-cutting machine tools."

A. The situation with the shortage of metal-cutting machine tools in the USSR has 25X1 changed a great deal at the present time in comparison with the period before War II. Since the end of World War II, the USSR has imported a large quantity of metal-cutting machine tools from dismantled enterprises in the Soviet Zone of Germany. The USSR also got a rather large quantity of machine tools from Germany in the form of industrial supplies as reparations. Large German machine tool plants were considerably destroyed by bombardments during World War II and for some time completely discontinued production. Some machine tool firms of East Germany had a considerable number of finished and partly finished machine tool parts. Besides that, a large quantity of machine tools damaged by bombardments, burnt machine tools in particular, were at machine tool plants and at many other machine enterprises. Some machine tool plants of East Germany, after their partial restoration, started to produce new machine tools (chiefly on the base of old finished and partly finished parts of machine tools) and to repair damaged machine tools in 1947-1948. The following firms are included in the above-mentioned firms: the "Niles" firm and series of small firms in the city of Chemnitz; the "Pfauter" firm in the city of Leipzig, and others. A part of a plant of the "Reinecker" firm in Chemnitz has been reconstructed. The majority of the most valuable machine tools manufactured in the Soviet Zone of Germany, has been sent to the USSR as reparations which, in total, amounts to a considerable number of machine tools. A number of machine building plants in the USSR began to receive dismantled equipment including dismantled machine tools, from Germanv in large quantities shortly after the end of World War II. 25X1 these dismantled German metal cutting machine tools, together with German machine tools delivered as reparations, have relieved the acute shortage of machine tools which existed in the USSR for several postwar years. In the spring of 1949 there was still a 25X1 large quantity of machine tools, scheduled for the USSR, particularly at the railroad transfer base in Brest-Litovsk. These have been gradually transported to plants in the USSR. in 1949, there was no longer an acut25X1 need for most types of metal-cutting machine tools at working plants of "MTM" (Ministry of Heavy Machine-Building) of the USSR and it is obvious that the output of machine tools by Soviet plants has alleviated the shortage to a certain degree. A very important circumstance should be pointed out here, however, and that is that a considerable number of machine tools belonging to enterprises which were evacuated during World War II, especially large heavy machine tools which were dismantled for transportation, were damaged considerably by careless handling. Furthermore, the conditions under which they were used in new places during the war were, as a rule, worse than they had been before the evacuation. The

25X1

following factors were the causes of this: worse shops; large numbers of poorly qualified machine tool operators; low shop temperature; shortage of lubricants and wiping materials; shortage of spare parts, necessary tools and devices; bad maintenance; and, in particular, repairs which were untimely and of bad quality. All this was aggravated by the extreme overfatigue and exhaustion of the majority of machine tool workers and administrative-technical personnel of the plants. In particular, at NKMZ in Electrostal, abnormally high wear, breakdowns of machine tools during operation, and the exploitation of machine tools which urgently needed overhauling became quite habitual during World War II. The majority of machine tools was very badly worn out by the end of the war. The following machine tools are included among the metal-cutting machine tools for which a great need has been felt in the USSR since World War II: gear-cutting machines for cutting teeth on gear wheels and on pinions with large modules by the rolling method; gear-cutting machines for cutting teeth on bevel gears with helical teeth for high speed gearings (Gleason, Klingelnberg); precision gear-milling machines for cutting teeth on gears for high-speed gear reducers; large slot-broaching machines; some types of boring machines, and many very large machine tools and special machine tools.

25X1

Machine shop mechanics and technologists told that the Soviet-made metal-cutting machine tools were worse than American, English and German ones.

insufficient preciseness and quick wearability are the main defects of the Soviet-made machine tools, from the view point of shop engineers. Narrowness of nomenclature of types of manufactured machine tools is also a great defect of the machine tool industry of the USSR as such.

at machine tool plants of the USSR, the intraplant normalization embraces a large number of used machine parts and such members as threads; profiles of sections of machine parts; diameters; and also tolerances and fits used in machine tool building; materials of machine-parts and recommended and obligatory heat treatment, normal technological processes of manufacturing of machine parts and so on. For all this, plants of the Ministry of Machine Tool Building have intraministry standards. Plants worked out normal types of machine tools and have standardized units of machine tools.

the following bottlenecks are the most noticeable in the Soviet machine tool building: Unsatisfactory supply of materials; the absence of a sufficiently wide network of cooperating enterprises; lack of qualified workers and specialists; low quality of production; general weakness of research work, lack of means for experimental work; and insufficient and weak perspective planning.

SECRET/SECURITY INFORMATION

-5-

25X1

25X1

each Soviet plant has so-called "Shtatnoye raspisaniye"
(staff schedule). A staff schedule is worked out by the ministry for each year
for each plant of the ministry on the base of norms. Norms take into accounts
technical data of the plant, the nomenclature of articles manufactured by the
plant, and the yearly plan of industrial production in tonnage and in terms of
price. The staff schedule points out to the plant a total staff of workers and
employees necessary to the plant, and gives its division as to the number of
workers and employees separately, showing their categories and functional wages.
Limits for wages approved by the ministry are assigned in conformity with the
staff schedule. These limits also take into account the so-called "tariff zone"
of the enterprise, determining the degree of tariff rates of workers and employees
of the plant in accordance with its geographic location. Plants have no right
to violate the staff schedule and pass over limits of wages.

Assuming, that the number of working hours per month is 200 on the average, that a yearly recreation leave is 100 hours, and that the total sick leave is also 100 hours per year, and not taking into account hours of overtime work and state holidays, we have approximately, 2200 hours working hours per year for the average productive worker.

The chief mechanic's department of NKMZ in Kramatorsk did most of the repairing of non-Soviet-made machine tools and manufactured a considerable number of spare parts for them. The chief mechanic of the plant had a large chief mechanic's department, a large and well-equipped machine-repair shop, and mechanic's divisions at shops at his disposal. Supervision and caring for equipment of the shop, maintenance work and planned-preventive repair of equipment were performed by mechanic's divisions of shops. Each manufacturing shop of the plant had this division. Overhauls of machine tools would be made by the 25X1 repair machine shop.

-6-

25X1

25X1

the number of skilled workers being trained corresponds approximately to the number required to fill the needs of the machine tool industry, but that not enough engineers and technicians are being trained. The level of qualification of trained workers, engineers and technicians, however, is undoubtedly lower than the level necessary for the industry.

Trade schools of the Ministry of Labor Reserves of the USSR (or, the Labor Reserve Board at "SNK", Soviet People's Commissars of the USSR) are the 25X1 principal type of schools training skilled manpower for the machine-building machine tool building industry. Training at trade schools of the machinebuilding industry lasts 25X1 for only two years. This term is too short, particularly in view of the general low level of culture and the low degree of preparedness for study of people trained at trade schools. Therefore, trade schools are not able and do not train highly-skilled and universal machine tool workers. Trade schools prepare machine tool workers of narrow specialty, of average and lower than average qualifications. On completion of a trade school, workers are usually placed in the fourth or fifth class of the eight-class working tariff table (wage scale), and their basic specialty is shown on the certificates which they receive on completion of the trade school, e g, a fourth-class turner on metal, or a fifth-class milling machine operator, or a fourth-class boring machine operator, and so on. Thus, after completion of a trade school, the worker has a qualification permitting him to operate only machine tools of certain kind in conformity with the training which he received. These machine tool workers do not repair and control machine tools. They do not have the necessary qualification for this, and it is not their duty. Trade schools train so-called fitters-mechanics or, more correctly, repair fitters, to supervise equipment and perform bench and assembly repair work. On completion of trade schools, repair fitters are also limited in specialty on the level of the qualifications of machine tool operators but in their own field, i e as repair fitters.

Machine Tool Plant had started to operate shortly before the entry of the USSR into World War II.

all machine tools made by this plant had cast iron main housings, and I did not hear that they were replaced by designs made of rolled steel shapes. The USSR did not have a single rolling mill of "Gray" - type (for rolling wide flange beams) before World War II, and thus could not have available homemade wide flange beams.

SECRET/SECURITY INFORMATION

-7-

25**X**1

On manufacturing herringbone gears and pinions, the presence or absence of a groove for relief of a cutting tool is determined by the type of machine tool on which the cutting of teeth is performed. At the machine building plants of the USSR the majority of gear-cutting machines for cutting teeth on cylinder gear wheels were made as gear-milling machines for cutting with gear cutters. Thus, only gears with a groove for relief of a gear cutter could be cut on them. In machine building plants of the USSR, however, there are also such gear cutting machines, as gear planers of the "Sykes" type, and gear milling machines for cutting teeth with milling cutters—end mills. Herringbone gears of the continuous tooth type, having no grooves, are cut on these machines.

Speed in metal cutting machine tools of the USSR has been obtained mechanically in all cases At the same time, depending on the machine tool, the process of shifting has been realized either by hand or electrically. 25X1

In all cases

the controls have been electrical.

up to the middle of the 1940's at least, electronic controls were not used in the machine tool building of the USSR, and in those machine tools of foreign firms

-end-